



MANHATTAN 55 SPECIFICATION DOCUMENT

PRINCIPAL CHARACTERISTICS

Length overall – (incl. pulpit)	18.35m	60' 2"
Length overall – (excl. pulpit and platform)	15.85m	52' 0"
Length waterline – (@ half load)	13.60m	44' 7"
Beam – (max.)	4.70m	15' 5"
Maximum draft – (incl. props)	1.26m	4' 2"
Displacement – (@ half load)	27,400kg	60,389lb
Fuel capacity	2,200 litres	580 US gal.
Fresh water capacity	598 litres	158 US gal.
Propulsion	Twin prop	
Engine options	up to 1600PS (total)	
Fuel options	Diesel	
Generators	Standard 11kW @ 50Hz (Euro) 13.5kW @ 60Hz (USA)	
Maximum speed	up to 32 knots*	
Cruising speed	23 knots*	
Range	up to 250 nautical miles*	

PRINCIPAL FEATURES

- Electric winch with bow roller, flybridge and cockpit controls
- Hot and cold swimming shower
- Sliding cockpit door to aft cockpit
- Flatscreen televisions in all cabins
- DVD/Blu-ray cinema sound system in saloon
- Radio/iPod player with cockpit and flybridge speakers
- Electric refrigerator
- Electric freezer
- Ceramic hob
- Microwave
- Radar/Plotter
- Autopilot
- Electric speedlog
- Depth sounder
- VHF radio dual station
- Trim tabs
- Hydraulic steering
- Electric bow thruster
- Hot and cold water system
- Automatic fire extinguishers
- Automatic bilge pumps
- Generator
- AC shorepower/battery charger
- Teak bathing platform and steps
- Teak cockpit floor
- Fresh water marina connection
- Electric toilets with holding tank
- Antifouling



MANHATTAN 55 SPECIFICATION DOCUMENT

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single-skin bottom
Balsa-cored hull topsides
PVC foam-cored deck and superstructure
Hull stiffened with longitudinal stringers supported by transverse bulkheads and floors

2 Deck

Fittings all in stainless steel
8 x deck cleats in stainless steel
Delta anchor and 60m chain (galvanised)
Electric winch and capstan 24v with deck and helm controls 24v
Stemhead roller and anchor stop
Self-draining chain locker-fender stowage
Pulpit and cockpit rails in stainless steel
Stainless steel fendering with rubber insert
IMCO navigation lights
2 x pantograph wipers 24v, windscreen washers
Ensign staff and socket
6 x fenders and 4 warps
Remote spotlight 24v
Curved safety glass windscreen

3 Bathing Platform

Hydraulic fall and rise system
Fresh water marina connection
Dockside AC shore power connection
Hot and cold swimming shower
Teak-laid bathing platform
Foldaway stainless steel swimming ladder

4 Aft Cockpit

Self draining
Moulded staircase to flybridge
Upholstered seating with stowage underneath
Stern safety gates
Engine room access hatch
Overhead lighting 24v
Low level lighting 24v
Teak-laid cockpit and steps
Radio/iPod remote control
Cockpit Speakers
Boat hook
Hand-held fire extinguisher

5 Flybridge Helm Position

Self-draining
Deflecting screen (acrylic)
Hydraulic steering
Two helm seats
Sports steering wheel
Duplicate engine controls and instrumentation
Compass
Trim tab control
Echo sounder and speedlog repeater
Autopilot and GPS navigator controls
Instrument cover
Upholstered seating group
Storage below seats
Teak cockpit table
Sunbathing area forward
Wetbar sink with hot and cold water
Stainless steel guard rails and grab rails
Glass holders
Radio/iPod for outside system
Cockpit Speakers

6 Saloon

Seating group
Coffee table
Drinks and storage cabinet
Television 40" on fall and rise system
Radio/CD/DVD/Blu-ray cinema system with AirPort Express
Overhead lighting 24v
Double AC socket
Stainless steel sliding cockpit door to aft cockpit
Fitted carpet
Scatter cushions

7 Dining

Dining area with table
Wine cooler
Bar and glass cabinet
Overhead lighting 24v
Double AC socket

8 Main Helm Console

Two upholstered helm seats
Console with burr walnut type fascia
Hydraulic steering
Sports steering wheel
Radar/Plotter/GPS
Autopilot
VHF radio dual station
Engine instrumentation
Electric speedlog
Depth sounder
Rudder indicator
Compass
Horn
Windscreen wipers and washers
Trim tab controls
12V socket
Glass holders
Hand-held fire extinguisher
Double AC socket

9 Galley

Sink and drainer
Hot and cold water supply
Electric refrigerator
Electric freezer
Ceramic 3-ring touch-control hob
Hob extractor fan
Microwave oven
Rubbish bin
6 place crockery set
6 place cutlery set
Cupboard and drawer storage
Double AC socket x 2
Overhead lighting 24v
Opening porthole with mosquito screen
Hand-held fire extinguisher
First aid kit



MANHATTAN 55 SPECIFICATION DOCUMENT

10 Master Aft Cabin

Double berth with storage and drawers beneath
Outboard cabinets
Bedside cupboards
Bedside table lamps
Settee
Hanging wardrobe with mirrored door
Overhead lighting 24v
Panoramic windows with opening portholes
Double AC socket x 2
Television 32"
Radio/CD/DVD/Blu-ray stereo system
Fitted carpet

11 Master En Suite Shower Room and Toilet

Electric toilet
Avonite counter top
Shower taps and accessories
Washbasin
Hot and cold water
Separate shower compartment
Extractor fan
Razor socket 240/110v
Mirrored cupboard
Towel rail
Bath and hand towels
Overhead lighting 24v
Opening porthole with Venetian blind
Door to stateroom

12 Starboard Guest Cabin

Two single berths
Two reading lights 24v
Under-berth stowage
Hanging wardrobe with mirrored door
Overhead lighting 24v
Opening porthole with mosquito screen and curtain
Double AC socket
Television 22"
Fitted carpet

13 Forward VIP Guest Cabin

Double berth with storage and drawers beneath
Two reading lights 24v
Outboard lockers
Hanging wardrobe with mirrored door
Overhead lighting 24v
Panoramic windows with opening portholes and curtains
Deck hatch
Double AC socket
Television 32"
Fitted carpet

14 Starboard VIP Shower and Toilet/Day Head

Electric toilet
Avonite counter top
Shower taps and accessories
Washbasin
Hot and cold water
Separate shower compartment
Extractor fan
Razor socket 240/110v
Mirrored cupboard
Towel rail
Bath and hand towels
Overhead lighting 24v
Opening porthole with Venetian blind

15 Engine Compartment and Ancillaries

Twin engines with direct drive gearboxes
2 x separate fuel filters water separators
Aluminium fuel tanks with electric sender units
Fresh water engine top-up hose
Sound insulation throughout engine room
Automatic fire extinguisher
Automatic bilge pumps
Automatic flood pump with high-level alarm
Extractor fans 24v

16 Electrical System

Generator with underwater silent exhaust
AC dockside connection
Main DC and AC electrical circuits protected by re-settable circuit breakers
Systems monitoring panel
Galvanic isolator
6 x batteries for engine starting 24v circuit
4 x batteries for domestic power 24v circuit
2 x batteries for generator starting 12v circuit
Battery coupling system
Battery switches controlled from locker in cockpit
Alternator split charging system
Battery charger for 24v circuits
Battery charger for 12v circuits
Water heater
AC outlet sockets throughout the boat
Electric bow thruster

17 Underwater Gear

Direct shaft drive through half tunnels
4-bladed NAB bronze propellers
Bronze P-brackets
2 x stainless steel shafts
Dripless shaft logs
High-performance bronze rudders
Seawater strainers x 2 main engines/1 x generator
Seacocks on all underwater fittings
Stainless steel trimtabs (hydraulic)
Full cathodic bonding system to zinc anodes

18 Systems

Polyethylene fresh water tank
24v fresh water pressure system
Hot water tank
24v toilet system

19 Miscellaneous

Toolkit
Boat hook
4 x mooring ropes
6 x fenders
2 x towel sets



MANHATTAN 55 SPECIFICATION DOCUMENT

Disclaimer

*Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.